

UNIMIG VIPER

3 IN ONE
SYNERGIC

MULTI165

MULTI-PROCESS WELDER MIG / TIG / STICK



2 YEAR +
WARRANTY

REGISTER YOUR MACHINE
ONLINE FOR AN ADDITIONAL
6 MONTHS WARRANTY

VIPER MULTI165

The latest addition to the VIPER range, the MULTI 165 is perfect for those looking for great performance without breaking the bank. Capable of MIG, TIG, and STICK welding, the 165 has you covered for all of your DIY projects and light fabrication needs.

The 165 comes ready to go with Synergic Programming to get your welds on target easier and faster. Complete with programs for Mild Steel, Flux-Cored, Stainless Steel and Aluminium wire in sizes ranging from 0.6mm to 1.0mm.

Need a more precise weld? Shift the 165 into manual mode for complete control of your amperage, wire speed, and inductance.



PART NUMBER: U11006K

BOX CONTENTS


- VIPER™ MULTI 165 MIG/TIG/STICK Welder
- 300 Amp Earth Clamp & Lead
- 3m SB15 Binzel Style MIG Torch
- Twin Gauge Argon Regulator
- 3m Twist Lock STICK Electrode Holder
- 2m Gas Hose & Fittings
- Operating Manual






COMPACT & LIGHTWEIGHT

With a size of only 513x206x391mm and weighing only 9.8kg, you can take the VIPER MULTI 165 with you anywhere.



STANDARD 10 AMP PLUG

Plug in and play. The 10A plug can be used on any domestic outlet, so it's perfect for the DIY home handyman or the professional welder looking to take it anywhere.



IGBT TECHNOLOGY

Not every inverter is made equal. With UNIMIG's ever-evolving, state-of-the-art IGBT Inverter technology, you get better performance, better efficiency, and better reliability.

MIG 30-165A

0.6 - 1.0mm WIRE / 1KG & 5KG SPOOLS

GAS & GASLESS OPERATION

1mm

8mm

TIG 20-160A

DC LIFT ARC Torch sold separately.

1mm

6mm

STICK 20-140A

2.5 - 3.2mm ELECTRODE

2mm

8mm

METAL TYPE: Mild Steel Stainless Steel Aluminium

DUTY CYCLE: 10% @ 165A / 60% @ 68A / 100% @ 52A

METAL TYPE: Mild Steel Stainless Steel Silicon Bronze Copper

DUTY CYCLE: 10% @ 160A / 60% @ 65A / 100% @ 50A

METAL TYPE: Mild Steel Stainless Steel Cast Iron

DUTY CYCLE: 10% @ 140A / 60% @ 58A / 100% @ 45A

SKU	U11006K
Primary Input Voltage	240V Single Phase
Supply Plug	10 AMP
I _{eff} (A)	10.0
Rated Output	30A/15.5V - 165A/22.3V
No Load Voltage (V)	64
Protection Class	IP21S
Insulation Class	H
Minimum Generator (kVA)	9.0
Dimse Connector	35/50
Standard	AS/NZ60974-1
Drive Roller Size	30/10
Weight (kg)	9.8kg
Dimensions (mm)	513x206x391mm
Warranty (Years)	2



17V
TIG TORCH



SB15 CONSUMABLE
STARTER KIT



MACHINE TROLLEY



AUTOMATIC
WELDING HELMET

RECOMMENDED ACCESSORIES

UNIMIG

B U I L T F O R W E L D E R S

unimig.com.au

   @UNIMIG

HEAD OFFICE:

112 Christina Rd,
Villawood NSW 2163

PH: (02) 9780 4200
FAX: (02) 9780 4210

EMAIL: sales@unimig.com.au

QLD OFFICE:

19 Commerce Cct,
Yatala QLD 4207

PH: (07) 3333 2855
FAX: (07) 3274 5829

EMAIL: qld@unimig.com.au

VIC OFFICE:

91 Yellowbox Drive,
Craigieburn VIC 3064

PH: (03) 8682 9911
FAX: (03) 9333 7867

EMAIL: sales@unimig.com.au

WA OFFICE:

26 Sustainable Ave,
Bibra Lake WA 6163

PH: (08) 6363 5111
FAX: (08) 9417 4781

EMAIL: wasales@unimig.com.au