



High-Performance Paint
For demanding Industrial
Applications

Low-Chloride Formula
for safe marking on
Stainless steel

**Firm Adhesion and
Wear-Resist Marking**
on a wide range of surfaces



- Made in USA
- Unsurpassed writing on challenging surfaces: Oily, damp, coated & more
- Highly visible, extremely durable permanent paint that dries quickly and resists wearing or fading
- Low-Chloride / Low-Corrosion Formula = Safe for use on Stainless steel, alloys and other special metals and will not contribute to unwanted corrosion, degradation, or pitting from use*
- Laboratory Tested to have zero or less than 250ppm** (0.025%) of Chlorides, Halogens, Sulfur, & low melting point metals***
- Xylene-Free = Minimises health risks & environmental disposal concerns
- ClipGrip Knurled Cap = Easy removal when wearing gloves or with greasy hands, will not roll on flat surfaces

* White, Yellow, Black, Red, Pink Colours only

** Parts per million

*** Low melting-point metals include: Lead, Copper, Zinc, Antimony, Bismuth, Cadmium, Mercury, Tin, Phosphorous, Silver

**THE TOUGH, SAFE
& HASSLE FREE
MARKER FOR
SERIOUS INDUSTRIAL
USE !**

**More
Info**



All specifications are subject to change without notice. Weldclass accepts no responsibility for any inaccuracies, errors or omissions. Any application information is of a general nature only and is not a substitute for professional and specific advice. Warranty conditions as per weldclass.com.au/warranty/info, registration required. Weldclass is Australian founded & operated, established 1979. © 2025. E.&O.E



Part No.	Colour	Low-Corrosion Tested*	Unit
ML-96960	White	Yes	Each
ML-96961	Yellow	Yes	Each
ML-96963	Black	Yes	Each
ML-96962	Red	Yes	Each
ML-96965	Blue	No	Each
ML-96966	Green	No	Each
ML-96830	Pink	Yes	Each

* Confirmed using a typical analysis to contain not more than: 200ppm Chlorides & total Halogens, 250ppm each low melting point Metals, 250ppm Sulfur

Technical Data

Marking Range	-46°C to 66°C
Surface Types	All metals, masonry, plastic, glass, ceramic, rubber & more
Surface Conditions	Dry, Oily, Damp, Rusty
Tip Size	3mm bullet tip
Paint	Solvent based, indelible, weather & UV resistant, Xylene-free, low Chloride & Low-corrosion formula

Test Reports

Laboratory test reports shown on following pages.

Note that product name on the reports is "Pro-Line HP". The "Pro-Line HP" & Paint-Riter + Oily Surface" are one and the same product/paint formula.

