Product Information



TITAN ATF D3

A multifunctional ATF for Passenger Cars and Commercial Vehicles requiring a Dexron® III specification.

Description

TITAN ATF D3 is a Multifunctional Automatic Transmission Fluid, providing longer life and smoother gear shifts. Recommended Passenger Cars and Commercial Vehicles requiring a Dexron® III specification. Automatic Transmission Fluid is specially formulated to conform to GM and Ford specifications. Supercedes Dexron®. Not suitable where Dexron VI is called for. Suitable for use for the following applications: ATF Dexron® III Ford MERCON® Allison C-4 Caterpillar TO-2

Application

To obtain the full benefits of this product please drain and refill the application. However this product is compatible with mineral Dexron III fluids.

Advantages/Benefits

- · Compatible with conventional Dexron III transmission fluids
- Compatible with conventional Dexron III transmission fluids
- Excellent thermal and chemical stability due to the superior viscometrics
- Excellent thermal and chemical stability due to the superior viscometrics
- Helps reduce oil temperature in severe applications

- Helps reduce oil temperature in severe applications
- Improves seal life due to good thermal stability. Improves transmission life
- Improved seal life due good thermal stability-Improves transmission life
- Improved shift on cold start and at standard operating temperatures
- Improved shift on cold start and at standard operating temperatures
- Offers excellent gear durability
- Offers excellent gear durability

Specifications

Approvals

Declaration - Hazardous Substance - Meat

FUCHS Recommendations

- **ALLISON C4**
- **CATERPILLAR TO-2**
- Ford MERCON®
- DEXRON® III

fuchs.co.nz

Product Information



CHARACTERISTICS

Appearance	Visual	Clear Red Liquid	NI/A
• •		•	_
Kinematic Viscosity @ 40 °C	ASTM D445	35	cSt
Kinematic Viscosity @ 100 °C	ASTM D445	8.0	cSt
Viscosity Index	ASTM D2270	190	N/A
Density @ 15 °C	DIN 51757	0.850	Kg/L
Pour Point	FLTP* 124	-50	$^{\circ}C$
Flash Point, COC	ASTM D92	165	°C

Product Code: 2121 Last Update: 30/07/2020